

# Proxmox

- [FIX] perl: warning: Setting locale failed
- [FIX] Resize local disk
- [FIX] Disable Subscription PopUp
- [FEATURE]
- [FIX] PVE update failed(Failed to fetch 401 Unauthorized) (TASK ERROR: command 'apt-get update' failed: exit code 100)

# [FIX] perl: warning: Setting locale failed

dpkg-reconfigure locales

en\_US.UTF-8 UTF-8

sr\_RS UTF-8

sr\_RS@latin UTF-8

# [FIX] Resize local disk

```
lvremove /dev/pve/data  
lvresize -l +100%FREE /dev/pve/root  
resize2fs /dev/mapper/pve-root
```

# [FIX] Disable Subscription PopUp

1. Change to working directory

```
cd /usr/share/javascript/proxmox-widget-toolkit
```

2. Make a backup

```
cp proxmoxlib.js proxmoxlib.js.bak
```

3. Edit the file

```
nano proxmoxlib.js
```

4. Locate the following code

(Use ctrl+w in nano and search for “No valid subscription”)

```
Ext.Msg.show({  
  title: gettext('No valid subscription'),
```

5. Replace “Ext.Msg.show” with “void”

```
void({ //Ext.Msg.show({  
  title: gettext('No valid subscription'),
```

6. Restart the Proxmox web service (also be sure to clear your browser cache, depending on the browser you may need to open a new tab or restart the browser)

```
systemctl restart pveproxy.service
```

You can quickly check if the change has been made:

```
grep -n -B 1 'No valid sub' proxmoxlib.js
```

# [FEATURE]

## Installation

The installation is done via the CLI utility. Run the following commands on the PVE node serving the Web UI:

```
wget https://raw.githubusercontent.com/Weilbyte/PVEDiscordDark/master/PVEDiscordDark.sh  
bash PVEDiscordDark.sh install
```

Or this oneliner

```
bash <(curl -s  
https://raw.githubusercontent.com/Weilbyte/PVEDiscordDark/master/PVEDiscordDark.sh ) install
```

## Uninstallation

To uninstall the theme, simply run the utility with the `uninstall` command.

# [FIX] PVE update failed(Failed to fetch 401 Unauthorized) (TASK ERROR: command 'apt-get update' failed: exit code 100)

## Update problem

1 Change working directory

```
cd /etc/apt/sources.list.d
```

2 Backup the file we will modify

```
cp pve-enterprise.list pve-enterprise.list.backup
```

3 Modify the file

```
nano pve-enterprise.list
```

4 Add “#” at the beginning of “https://enterprise.proxmox.com/debian/pve%20buster%20pve-enterprise”

5 Now we can try to update again